Attachment I California Regional Water Quality Control Board Lahontan Region

Forensic Monitoring Form

Categories 5 and 6 This form and associated monitoring must be completed soon after two significant rain (> 2 inches) and/or snow-melt events and submitted annually to Water Board by July 15

Please type or print clearly in ink

Forensic monitoring: is conducted soon	after significant rain	or snow-melt	events and	consists
of visual monitoring of:				

- surface waters
 watercourse crossings
 landings
 burned areas
- unstable areas
 roads
 waterbody buffer zones
 skid trails

The purpose of this monitoring is to:

- (1) detect elevated turbidity levels in surface waters, and locate sources of sediment discharges;
- (2) determine the condition of installed management measures,
- (3) detect failure to implement necessary management measures,
- (4) detect water quality impacts caused by failed management measures,
- (5) detect water quality impacts related to legacy timber activities and general timber harvest and vegetation management activities; and
- (6) identify sources of potential sediment delivery in a timely manner so that corrective action may be taken to avoid sediment discharges to water bodies.

This monitoring must be conducted at least twice each year and reported on July 15 for the duration of timber harvest and vegetation management activities and until a Notice of Termination of Timber Waiver Coverage is issued by Water Board staff. This form or report containing equivalent information must be completed and signed.

Forensic monitoring is required for activities that proceed under Category 5 or 6 until a Notice of Termination of Timber Waiver Coverage is issued by Water Board staff.

Activity Name:	
WDID Number:	
Yes No H	ave timber harvest and vegetation management activities commenced?
If yes, please com	plete this form and associated monitoring.
If no, when are op	erations anticipated to begin (if known)?
If operations have	not commenced by May 1, you are not required to complete the remainder of this
form, please sign to	the landowner signature box at the bottom of page 8 and submit to the Water
Board by July 15 th	

Inspection #1

Within 36 hours of a significant rain (>2 inches in 24 hours) or snow-melt event inspect accessible areas and waterbodies immediately downstream of operations and complete the following:

1.	Inspector's name and title:				
2.	Date of inspection:				
3.	Weather Observations and			stor woothor go	
ſ	(Some of this information may be of Stream Stage	-			
	(select one):	□ Low	☐ Moderate	□ High	☐ Flooding
	Precipitation	□ Drizzle	□ Ra	n	□ Snow
	Date of and				
	approximate				
	amount of last				
	precipitation: (T	his information may be	obtained at the follow	wing webpage:	http://water.weather.go
	Accumulated precipitation thi	S	inches of	□ Rain	□ Snow
	season:				□ Onow
			obtained at the follow	wing webpage:	http://water.weather.go
	Additional notes on weather	and precipitation:			
Ins	pect all the following areas a	and infrastructure	within the activi	tv area if ac	cessible.
	the space following each are				
	a, if they were inspected, if the				
	very to a waterbody are obser		•		
Loc	k for signs of erosion and tran	sport of sediment to	a waterbody. T	hese signs r	nay include:
	landsliding				
	erosion voids				
	 tension cracking or settling 	of road fill or sideca	ast		
	 rilling or gullying of road su 	ırfaces, road fills, lar	ndings, cutbanks	, etc.	
	 increased levels of sedime 	nt/turbidity in waterb	oodies immediate	ely downstre	am of operations
If e	vidence of sediment erosion a	nd delivery to a wate	erbody are obser	ved:	
•					
					the waterbody.
	☐ Identify the waterbody and☐ Photograph the source of s	describe specific lo	cations within or	adjacent to	
	$\hfill \square$ Identify the waterbody and	describe specific lo sediment and point of	cations within or of delivery to the	adjacent to waterbody a	
	□ Identify the waterbody and□ Photograph the source of s	describe specific lo sediment and point o p-Point Monitoring Fo	cations within or of delivery to the orm (Attachment	adjacent to waterbody a L).	and record photo
	 Identify the waterbody and Photograph the source of smonitoring using the Photo Describe what and when oprotect water quality. 	describe specific lo sediment and point o p-Point Monitoring Fo orrective measures	cations within or of delivery to the orm (Attachment will be taken to s	adjacent to waterbody a L). stop sedimer	and record photo
	 Identify the waterbody and Photograph the source of smonitoring using the Photo Describe what and when compared to the property of the	describe specific lo sediment and point o p-Point Monitoring Fo orrective measures	cations within or of delivery to the orm (Attachment will be taken to s	adjacent to waterbody a L). stop sedimer	and record photo

☐ Describe where and in which waterbody.

	 Explain if this turbidity is a result of sediment discharges from within the activity area. Is the sediment coming from a hillslope feature such as a stream crossing or unstable area? Cause-and-effect can be determined if the water becomes noticeably muddy below a hillslope feature. Describe what and when corrective measures will be taken to stop sediment delivery and protect water quality.
	ny erosion or failed management measures cause sediment delivery to a waterbody, then photont monitoring is required using the Photo-Point Monitoring Form (Attachment L).
res con	rensic monitoring requirements are waived if significant environmental impacts would ult from road system use to access the activity area, or if worker safety would be npromised. If these areas are not accessible for monitoring, please indicate why. Acceptable sons may include:
	 □ Significant environmental impacts would result from road system use to access the activity area or waterbodies immediately downstream of operations. □ Worker safety would be compromised.
4.	Areas where timber harvest and vegetation management activities have been conducted within or near unstable areas.
	□ none exist
	(attach additional pages if necessary)
l	(attach additional pages if necessary)
5.	Constructed or re-constructed watercourse crossings.
	□ none exist
	(attach additional pages if necessary)
•	
6.	Waterbody Buffer Zones (WBBZs) or Stream Environment Zones (SEZs) where ground based equipment operations (e.g., skid trail crossings) or use of prescribed fire have occurred.
	□ none exist
	(attach additional pages if necessary)

7.	Road construction or reconstruction within 150 feet of a Class I, II, or IV (with domestic use) watercourse.		
	□ none exist		
	(attach additional pages if necessary)		
8.	Landing construction or reconstruction within WBBZs or SEZs.		
	□ none exist		
	(attach additional pages if necessary)		
9.	Areas classified as high or extreme erosion hazard rating where ground-based equipment has been operated and there is potential for water quality impacts.		
	□ none exist (attach additional pages if necessary)		
10.			
10.	Areas of in-lieu practices that have the potential to impact water quality. □ none exist		
	(attach additional pages if necessary)		
11.	For Category 5 Projects only: If the enrollee has suspended forensic monitoring during an interim period per Timber Waiver Category 5 Condition #10 and the directions at the bottom of the Timber Waiver Category 5 Application Form, please note these periods of inactivity and include an explanation for the temporary suspension in the box below.		
	(attach additional pages if necessary)		
	(attach adattoha pages ii necessary		

Printed Name and Title:

Phone/Fax/E-Mail:

I, the Landowner, agent thereof, or Land M	lanager, hereby certify under penalty of perjury that all
information contained in this monitoring rep	port is true, accurately represents site conditions, and is
complete. I also certify that all timber harve	est and vegetation management activities conducted have
been in conformance with all the general co	onditions of the Conditional Waiver of Waste Discharge
Requirements for Discharges Resulting fro	m Timber Harvest and Vegetation Management Activities
in the Lahontan Region (Timber Waiver), R	Resolution R6T-2014-00XX, and all eligibility criteria and
conditions for Category 5 or 6 of the Timbe	r Waiver. If any deviation from the approved plan, and/or
the Timber Waiver eligibility criteria and co	nditions has been identified I have disclosed such
deviations in this form along with corrective	e actions that will be taken to resolve the problem.
Signature:	Date:

Invitation for feedback: Water Board staff respectfully request any constructive feedback regarding the monitoring program with regard to your timber harvest and vegetation management activities. Completing this section is not a requirement. Water Board staff may use your comments and suggestions to improve this program for future activities. Comments may include:

- perceived effectiveness of the program in protecting water quality
- recommendations on how to make the monitoring program more efficient, reliable, or effective
- impressions of recommendations made by Water Board staff regarding your activities (e.g., do they appear to be effective, is there a practice or a performance standard that would have been more cost-effective at protecting water quality?)

Inspection #2

Within 36 hours of a significant rain (>2 inches in 24 hours) or snow-melt event inspect accessible areas and waterbodies immediately downstream of operations and complete the following:

u. c	ao ana waterzoalee mimediate	ory demineración or o	poranono ana o		
1.	Inspector's name and title:				
•	Data of increasion.				
2.	Date of inspection:				
3.	Weather Observations and (Some of this information may be o			ater.weather.go	<u>v/</u>)
	Stream Stage (select one): □ Dry	□ Low	□ Moderate	□ High	□ Flooding
	Precipitation (select one):	□ Drizzle	□ Ra	ain	□ Snow
	Date of and approximate amount of last precipitation: (T	his information may be	obtained at the follo	owing webpage:	http://water.weather.go
	Accumulated precipitation thi season:			□ Rain	□ Snow
(This information may be obtained at the following webpage:					

	 Explain if this turbidity is a result of sediment discharges from within the activity area. Is the sediment coming from a hillslope feature such as a stream crossing or unstable area? Cause-and-effect can be determined if the water becomes noticeably muddy below a hillslope feature. Describe what and when corrective measures will be taken to stop sediment delivery and protect water quality.
	ny erosion or failed management measures cause sediment delivery to a waterbody, then photont monitoring is required using the Photo-Point Monitoring Form (Attachment L).
res cor	rensic monitoring requirements are waived if significant environmental impacts would ult from road system use to access the activity area, or if worker safety would be npromised. If these areas are not accessible for monitoring, please indicate why. Acceptable sons may include:
	 Significant environmental impacts would result from road system use to access the activity area or waterbodies immediately downstream of operations. Worker safety would be compromised.
4.	Areas where timber harvest and vegetation management activities have been conducted within or near unstable areas.
	□ none exist
	(attach additional pages if necessary)
!	(state) state page in the court, y
5.	Constructed or re-constructed watercourse crossings.
	□ none exist
	(attach additional pages if necessary)
6.	Waterbody Buffer Zones (WBBZs) or Stream Environment Zones (SEZs) where ground based equipment operations (e.g., skid trail crossings) or use of prescribed fire have occurred.
	□ none exist
	,
	(attach additional pages if necessary)

7.	Road construction or reconstruction within 150 feet of a Class I, II, or IV (with domestic use) watercourse.		
	□ none exist		
	(attach additional pages if necessary)		
8.	Landing construction or reconstruction within WBBZs or SEZs.		
	□ none exist		
	(attach additional pages if necessary)		
9.	Areas classified as high or extreme erosion hazard rating where ground-based equipment has been operated and there is potential for water quality impacts.		
	□ none exist		
	(attach additional pages if necessary)		
10.	Areas of in-lieu practices that have the potential to impact water quality.		
	□ none exist		
	(attach additional pages if necessary)		
11.	For Category 5 Projects only: If the enrollee has suspended forensic monitoring during an interim period per Timber Waiver Category 5 Condition #10 and the directions at the bottom of the Timber Waiver Category 5 Application Form, please note these periods of inactivity and include an explanation for the temporary suspension in the box below.		
	(attach additional pages if necessary)		

I, the Landowner, agent thereof, or Land Manager, hereby certify use information contained in this monitoring report is true, accurately recomplete. I also certify that all timber harvest and vegetation manabeen in conformance with all the general conditions of the Condition Requirements for Discharges Resulting from Timber Harvest and Vin the Lahontan Region (Timber Waiver), Resolution R6T-2014-00 conditions for Category 5 or 6 of the Timber Waiver. If any deviation the Timber Waiver eligibility criteria and conditions has been identified.	epresents site conditions, and is agement activities conducted have an all Waiver of Waste Discharge /egetation Management Activities XX, and all eligibility criteria and on from the approved plan, and/or
deviations in this form along with corrective actions that will be take	
Signature:	Date:
Printed Name and Title:	

Invitation for feedback: Water Board staff respectfully request any constructive feedback regarding the monitoring program with regard to your timber harvest and vegetation management activities. Completing this section is not a requirement. Water Board staff may use your comments and suggestions to improve this program for future activities. Comments may include:

perceived effectiveness of the program in protecting water quality

Phone/Fax/E-Mail: _____

- recommendations on how to make the monitoring program more efficient, reliable, or effective
- impressions of recommendations made by Water Board staff regarding your activities (e.g., do they appear to be effective, is there a practice or a performance standard that would have been more cost-effective at protecting water quality?)